



CITY OF MANCHESTER
Health Department
Inspection Scores by Facility

Period from 06/01/2013 through 06/30/2013

Facility	Inspection Date	Score	Violation
11 Eleven Bistro, 36 Lowell St	6/20/2013	96	No Critical Violations Observed
25 Lake Dr. DBA Dunkin Donuts, 122 Londonderry Tpk	6/19/2013	98	No Critical Violations Observed
7-Eleven #32499B, 557 Maple St	6/10/2013	97	No Critical Violations Observed
860 Rouge Grille, 860 Elm St	6/3/2013	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
99 Restaurant & Pub, 1685 So. Willow St	6/20/2013	96	No Critical Violations Observed
ABC Nursery, 108 Revere Ave	6/12/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Alpine Club, 175 Putnam St	6/21/2013	94	No Critical Violations Observed
American Legion Post #43, 56 Boutwell St	6/19/2013	98	No Critical Violations Observed
American Legion Post #79, 35 W. Brook St	6/18/2013	95	No Critical Violations Observed
Arby's, 1500 So. Willow St	6/20/2013	98	No Critical Violations Observed
Ate Doors Down, 967 Elm St	6/5/2013	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Auntie Anne's Pretzels, 1500 So. Willow St			
	6/17/2013	73	12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
Bamboo Garden, 329 Lincoln St			
	6/20/2013	98	No Critical Violations Observed
Beijing Cuisine, 2650 Brown Ave			
	6/25/2013	59	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
	6/28/2013	90	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Bertucci's Brick Oven Pizzeria, 1500 So. Willow St			
	6/18/2013	78	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.

Facility	Inspection Date	Score	Violation
Billy's Sports Bar & Grill, 34 Tarrytown Rd			
	6/10/2013	89	No Critical Violations Observed
Bishop Leo E. O'Neil Youth Center, 30 So. Elm St			
	6/28/2013	99	No Critical Violations Observed
Blessed Sacrament Church, 14 Elm St			
	6/28/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Bonsai's Restaurant, 2265 Candia Rd			
	6/19/2013	84	No Critical Violations Observed
Boston Market #0027, 14 March St			
	6/3/2013	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Boys & Girls Club of Manchester, 555 Union St			
	6/18/2013	99	No Critical Violations Observed
Brazil's Pub & Pizza LLC, 333 Valley St			
	6/21/2013	97	No Critical Violations Observed
Breezeway Pub, 14 Pearl St			
	6/27/2013	94	No Critical Violations Observed
British American Association, 235 Central St			
	6/4/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
British Beer Company, 1071 So. Willow St			
	6/4/2013	87	No Critical Violations Observed
Caesario's Pizza, 1057 Elm St			
	6/18/2013	88	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Cafe Momo, 1065 Hanover St			
	6/19/2013	89	No Critical Violations Observed
Camp Carpenter, 300 Blondin Rd			
	6/25/2013	93	No Critical Violations Observed
Capri Market, 540 Hall St			
	6/17/2013	98	No Critical Violations Observed
Carpenter Center, 323 Franklin St			
	6/18/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
Catholic Medical Center Cafeteria, 100 McGregor St			
	6/19/2013	95	No Critical Violations Observed
CD Restaurant & Lounge, 24 Colonial Dr			
	6/19/2013	97	No Critical Violations Observed
Chartwells Dining Services @ NHIA, 1000 Elm St			
	6/13/2013	99	No Critical Violations Observed
Chestnut Street Downtown Diner LLC, 363 Chestnut St			
	6/4/2013	82	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Child and Family Services, 99 Hanover St			
	6/14/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Christos Kalivas Highrise, 175 Chestnut St			
	6/18/2013	98	No Critical Violations Observed
Cibao Market, 422 Belmont St			
	6/11/2013	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Cinnabest, LLC, 1500 So. Willow St			
	6/11/2013	89	No Critical Violations Observed
Club Canadian, 128 So Main St			
	6/18/2013	95	No Critical Violations Observed
Club Lafayette, 387 Canal St			
	6/14/2013	96	No Critical Violations Observed
Consuelo's Taqueria, 36 Amherst St			
	6/6/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Cotton Restaurant, 75 Arms St			
	6/6/2013	88	12-BARE HAND CONTACT OF READY TO EAT FOODS - Employees were touching ready-to-eat foods with their bare hands
Crazy Camel, 245 Maple St			
	6/14/2013	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Crossmark, 200 John E. Devine Dr			
	6/7/2013	98	No Critical Violations Observed
Crosstown Convenience, 995 Goffstown Rd Rd			
	6/4/2013	98	No Critical Violations Observed
Cumberland Farms #5511, 275 Hanover St			
	6/18/2013	97	No Critical Violations Observed
Cypress Center Kitchen, 401 Cypress St			
	6/12/2013	98	No Critical Violations Observed
Dairy Queen/Orange Julius, 1500 So. Willow St			
	6/17/2013	97	No Critical Violations Observed
DEKA 324, 324 Commercial St			
	6/6/2013	99	No Critical Violations Observed
Dickie Boy Mobile Catering, 288 So. Main St			
	6/18/2013	98	No Critical Violations Observed
Dickie Boy Subs, 288 So. Main St			
	6/18/2013	97	No Critical Violations Observed
Don Quijote Rest II / Chix & Chicken, 333 Valley St			
	6/18/2013	86	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Doogie's Bar & Grill, 37 Manchester St			
	6/26/2013	99	No Critical Violations Observed
Down the Block, 167 Hanover St			
	6/13/2013	98	No Critical Violations Observed
Dunkin Donuts @ CMC, 100 McGregor St			
	6/19/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Dunkin Donuts, 1500 So. Willow St			
	6/20/2013	98	No Critical Violations Observed
East Manchester Fish & Game Club, 50 Massabesic St			
	6/3/2013	94	No Critical Violations Observed
East Side Club, 786 Massabesic St			
	6/12/2013	85	31-HANDWASHING- INSTALLATION - Handsinks were installed without prior approval and/or inspections.
Easter Seals Adult Day Program, 555 Auburn St			
	6/27/2013	99	No Critical Violations Observed
Easter Seals Child Development Ctr, 555 Auburn St			
	6/27/2013	97	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Econo Lodge, 75 W. Hancock St			
	6/12/2013	87	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
		92	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
El Patron Sports Bar & Grill LLC, 253 Wilson St			
	6/5/2013	83	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
El Rincon Zacatecano Taqueria, 10 Lake Ave			
	6/12/2013	80	22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Element Lounge, 1055 Elm St			
	6/26/2013	97	No Critical Violations Observed
Empire Bagel Cafe, 373 Hanover St			
	6/17/2013	96	No Critical Violations Observed
Extreme Pita, 1500 So Willow St			
	6/18/2013	97	No Critical Violations Observed
Families in Transition - Lowell St. Program, 136 Lowell St			
	6/26/2013	98	No Critical Violations Observed
Family Dollar Store #3571, 325 Lincoln St			
	6/19/2013	98	No Critical Violations Observed
First Presbyterian Church, 75 Second St			
	6/27/2013	99	No Critical Violations Observed
Fratello's Restaurant, 155 Dow St			
	6/18/2013	86	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
Fresh Fruit Smoothies, 1500 So. Willow St			
	6/13/2013	80	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.

Facility	Inspection Date	Score	Violation
Friendlys #302, 1229 So. Willow St			
	6/3/2013	88	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Girls Inc of NH, 340 Varney St			
	6/17/2013	97	No Critical Violations Observed
Gloria Jean's Coffees, 1500 So. Willow St			
	6/18/2013	97	No Critical Violations Observed
Gold's Gym, 89 Dow St			
	6/14/2013	96	No Critical Violations Observed
Gov. Hugh Gallen Hi-Rise, 200 Hanover St			
	6/24/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Grand Slam Pizza, 472 So. Main St			
	6/4/2013	89	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Granite State Candy Shoppe LLC, 832 Elm St			
	6/3/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Granite State Fruit Co., 30 Auburn St			
	6/17/2013	96	No Critical Violations Observed
Great Foods Inc. dba Chateau, 201 Hanover St			
	6/13/2013	89	No Critical Violations Observed
Great Wall Chinese Restaurant, 168 Amory St			
	6/27/2013	74	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Greater Manchester Wrestling Assoc, 303 Beech St			
	6/5/2013	98	No Critical Violations Observed
Helping Hands Outreach Center, 50 Lowell St			
	6/17/2013	98	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Heng Won Chinese Restaurant, 262 Mammoth Rd			
	6/18/2013	87	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Hillsborough County Jail, 445 Willow St			
	6/17/2013	97	No Critical Violations Observed
	6/18/2013	96	No Critical Violations Observed
Hillsborough Market, 519 Lincoln St			
	6/13/2013	97	No Critical Violations Observed
Hope Resource Center, 222 Cedar St			
	6/28/2013	92	No Critical Violations Observed
Hot "G" Dogs, 610 Union St			
	6/20/2013	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Jelly's Pub, 866 Elm St			
	6/6/2013	98	No Critical Violations Observed
Jewish Federation of New Hampshire, 698 Beech St			
	6/24/2013	97	No Critical Violations Observed
John's Canteen Service, 256 Reed St			
	6/25/2013	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41øF.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140øF.
Josh's Toys & Games, 1500 So. Willow St			
	6/11/2013	95	No Critical Violations Observed
Kalwall Corporation, 1111 Candia Rd			
	6/26/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Karma Cigar & Hookah Lounge LLC, 1077 Elm St			
	6/26/2013	97	No Critical Violations Observed
Kay's Bakery, 443 Lake Ave			
	6/6/2013	93	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
KC's Rib Shack, 837 Second St			
	6/6/2013	78	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Lakeview Gulf, 219 Londonderry Tpk			
	6/19/2013	98	No Critical Violations Observed
Lakorn Thai Restaurant, 470 So. Main St			
	6/7/2013	96	No Critical Violations Observed
LaValley Farms, 2180 Candia Rd			
	6/19/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Le Gourmet Chef, 1500 So. Willow St			
	6/14/2013	95	No Critical Violations Observed
Lepage Bakereis LLC dba Country Kitchen, 199 Pepsi Dr			
	6/27/2013	97	No Critical Violations Observed
Luigi's Pizza Bar & Grille, 712 Valley St			
	6/4/2013	99	No Critical Violations Observed
Mad Bob's Saloon LLC, 342 Lincoln St			
	6/19/2013	97	No Critical Violations Observed
Manchester Christian Church, 250 Commercial St			
	6/17/2013	97	No Critical Violations Observed
Manchester Community Resource Center, 434 Lake Ave			
	6/17/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Manchester Elks Lodge #146, 290 Granite St			
	6/28/2013	94	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
Manchester Farmer's Market, Concord St			
	6/20/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
Manchester Masonic Temple, 1505 Elm St			
	6/26/2013	94	12-GOOD HYGIENIC PRACTICES (SMOKING) - Employees were smoking in an unapproved location.
Manchester School of Technology, 530 So. Porter St			
	6/5/2013	98	No Critical Violations Observed
Maple Willow Functions, 93 So. Maple St			
	6/10/2013	96	No Critical Violations Observed
Margarita's Mexican Restaurant, 1037 Elm St			
	6/28/2013	93	No Critical Violations Observed
McGarvey's, 1097 Elm St			
	6/26/2013	94	41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Mint Bistro, 1105 Elm St			
	6/26/2013	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Moe Joe's Family Mobile Restaurant, 2175 Candia Rd			
	6/26/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
MST -Introduction to Culinary, 530 So Porter St			
	6/5/2013	93	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Muse Paintbar, 42 Hanover St			
	6/28/2013	94	No Critical Violations Observed
Muse Thai Bistro, 581 Second St			
	6/13/2013	79	01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			35-INSECTS - The facility has an insect infestation.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Nanglo Restaurant LLC, 513 Lincoln St			
	6/13/2013	92	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Olympic Pizza, 506 Valley St			
	6/27/2013	80	03-RE-HEATING OF FOOD - Potentially hazardous foods were not reheated to 165°F within 2 hours.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to to use or re-use as necessary.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.

Facility	Inspection Date	Score	Violation
Omega Alexandros Macedonian, 141 Cedar St			
	6/6/2013	96	No Critical Violations Observed
Orange St. Market, 132 Orange St			
	6/24/2013	92	No Critical Violations Observed
Petros Cafe, 720B Valley St			
	6/4/2013	97	No Critical Violations Observed
Piccola Italia Ristorante, 815 Elm St			
	6/6/2013	95	No Critical Violations Observed
Pindos Restaurant and Pizza, 49 Massabesic St			
	6/11/2013	93	No Critical Violations Observed
Pizza Express II, 865 Second St			
	6/5/2013	96	No Critical Violations Observed
Poppin Kettle, 1500 So. Willow St			
	6/17/2013	96	No Critical Violations Observed
PTS Food Ent LLC dba Milly's Tavern, 500 Commercial St			
	6/6/2013	86	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Puritan Backroom Restaurant, 245 Hooksett Rd			
	6/20/2013	94	No Critical Violations Observed
Puritan Conference Center, 207 Hooksett Rd			
	6/24/2013	98	No Critical Violations Observed
Queen City Cupcakes, LLC, 790 Elm St			
	6/3/2013	99	No Critical Violations Observed
Raphael Social Club Inc, 18 Blaine St			
	6/28/2013	95	No Critical Violations Observed
Raxx Billiards, 1211 Elm St			
	6/27/2013	91	No Critical Violations Observed
Rev. Raymond Burns Highrise, 55 So. Main St			
	6/28/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Rimmon Club, 595 Dubuque St			
	6/14/2013	97	No Critical Violations Observed
Ruby Tuesday #3309, 1500 So. Willow St			
	6/12/2013	90	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
S & R Westside Market LLC, 149 Kelley St			
	6/6/2013	91	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Sacred Heart Parish, 265 So. Main St			
	6/18/2013	95	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Saigon Asian Market, 93 So. Maple St			
	6/10/2013	49	01-APPROVED SOURCE - Food observed was not from an approved source. Example: Home prepared items or items made in an unlicensed facility.
			01-SOUND CONDITION - Food not in sound condition. Example: dented cans or torn packaging.
			03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			12-GOOD HYGIENIC PRACTICES (OTHER) - Personnel - Hygienic Practices - Other violations.
			22-SANITIZATION RINSE- EQUIP AND UTENSILS SANITIZED - Equipment was not sanitized prior to use or re-use as necessary.
			22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
			30-BACKFLOW (AIR GAP) - The establishment did not have proper air gaps on food preparation or food containing devices, ie. food preparation sink, ice machine, ice holding containers.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
	6/12/2013	71	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
Sam's Club #6669, 200 John E. Devine Dr			
	6/7/2013	97	No Critical Violations Observed
Sarku Japan, 1500 So. Willow St			
	6/20/2013	93	No Critical Violations Observed
Savera Super Store LLC, 250 Laurel St			
	6/13/2013	94	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Senior Services Department, 151 Douglas St			
	6/24/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Serenity Place, 101 Manchester St			
	6/14/2013	98	No Critical Violations Observed
Shiloh Community Church, 55 Edmond Dr			
	6/11/2013	98	No Critical Violations Observed
Shiloh Community Church, 55 Edmond St			
	6/11/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Shogun Japanese Steak House, 545 Hooksett Rd			
	6/12/2013	96	No Critical Violations Observed
Souvlaki Pizza, 256 Bridge St			
	6/10/2013	84	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
St. George Greek Orthodox Cathedral, 650 Hanover St			
	6/17/2013	98	No Critical Violations Observed
St. Joseph Community Services, 151 Douglas St			
	6/12/2013	95	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
St. Paul's Methodist Church, 335 Smyth Rd			
	6/26/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
St. Raphael Church, 103 Walker St			
	6/11/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Ste. Marie Child Care, 133 Wayne St			
	6/6/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Ste. Marie Parish Cafeteria, 281 Cartier St			
	6/6/2013	96	No Critical Violations Observed
Ste. Marie Parish, 378 Notre Dame Ave			
	6/6/2013	98	No Critical Violations Observed
Steakhouse Eastern Region LLC, 880 Candia Rd			
	6/12/2013	98	No Critical Violations Observed
Steakhouse Steaks Eastern Reg Whse, 880 Candia Rd			
	6/12/2013	95	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Strange Brew Tavern, 88 Market St			
	6/20/2013	92	No Critical Violations Observed
Sunshine Scoops, 210 Lowell St			
	6/28/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Super 8 Motel, 2301 Brown Ave			
	6/17/2013	99	No Critical Violations Observed
Sweet Cierras LLC, 250 Commercial St			
	6/13/2013	97	No Critical Violations Observed
Teen Challenge Manchester, 147 Laurel St			
	6/11/2013	97	No Critical Violations Observed
The Derryfield Restaurant, 625 Mammoth Rd			
	6/17/2013	90	No Critical Violations Observed
The Hanover Street Chophouse, 149 Hanover St			
	6/13/2013	85	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
The Palace Theatre, 80 Hanover St			
	6/25/2013	91	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
The Prayer Hall dba Welcome Home, 286 Concord St			
	6/24/2013	95	No Critical Violations Observed
The Shaskeen, 909 Elm St			
	6/5/2013	90	No Critical Violations Observed
The Stuffed Sub, LLC, 1293 Elm St			
	6/7/2013	93	No Critical Violations Observed
The Way We Cook, 1361 Elm St			
	6/20/2013	98	No Critical Violations Observed
Thomas B. O'Malley Highrise, 259 Chestnut St			
	6/18/2013	98	No Critical Violations Observed
Thousand Crane, 1000 Elm St			
	6/13/2013	80	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Tidewater Catering Group LLC, 250 Commercial St			
	6/17/2013	91	No Critical Violations Observed
Tutti Frutti of Manchester NH, 1500 So. Willow St			
	6/11/2013	90	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
Two Guys Food Market, 414 Union St			
	6/3/2013	96	No Critical Violations Observed
Unwine'd LLC, 865 Second St			
	6/25/2013	95	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
VFW Post #8214, 352 Kelley St			
	6/17/2013	93	No Critical Violations Observed
Villa Crest Nursing & Retirement, 1276 Hanover St			
	6/19/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
W. R. Taverna, 201 Merrimack St			
	6/19/2013	98	No Critical Violations Observed
Waterworks Cafe, LLC, 250 Commercial St			
	6/25/2013	96	No Critical Violations Observed
Wee Play School, 200 Bedford St			
	6/19/2013	95	No Critical Violations Observed
Workmen's Relief Club, 183 Douglas St			
	6/21/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
XO on Elm, 827 Elm St			
	6/7/2013	92	No Critical Violations Observed
Z-J Market, 266 Bridge St			
	6/10/2013	96	No Critical Violations Observed
Zoey's Pizza, 2160 Candia Rd			
	6/19/2013	81	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.